

In application of the Directive ref. 89/686/EEC of the 21 st of December 1989, concerning the alignment of member state legislation relating to personal protective equipment and the decrees n° 92-765, 766 and 768 of 29 th of July 1992 concerning the transposition of this Directive into French law,

#### CTC

4,rue Hermann Frenkel - 69367 Cedex 07 - France
Tel +33 (0)4 72 76 10 10 - Fax +33 (0)4 72 72 76 10 00 - E-Mail : ctclyon@ctcgroupe.com - www.ctc.fr

authorized by decrees of the Ministry of Work, Employment and Health of the 20<sup>th</sup> of December 2010, registered under the number 0075, published in OJEC, delivers:

# EC-TYPE EXAMINATION CERTIFICATE 0075/797/162/12/10/0513 - EXT 05/10/15

To the following model of personal protective equipment:

\* reference of the model:

23 425 52

\* protective glove against

mechanical risks.

\* Manufacturer:


#### HONEYWELL SAFETY PRODUCTS EUROPE

Immeuble Edison ZI-Paris Nord II 33, Rue des Vanesses 95 958 ROISSY France

Description of the protective glove, reference of technical rules verified in the context of the CE type examination and informations indicated on the product are detailed in the following pages of this certificate.

Issued by Lionel GAUD

Drawn up in Lyon, on October 14th, 2015 Update 01 of July 11th, 2016



C0513e05 Rév. 01 - HONEYWELL SAFETY PRODUCTS EUROPE - N°0075-797-162-12-10-0513 EXT 05-10-15.xlsm - Certificat CE de type



## 1. DESCRIPTION OF THE PROTECTIVE GLOVE

According to the technical file index : 02

Reference: 23 425 52

Minor Variant of the model: 22 322 75

Dated: June 2016

5 fingers knitted glove. Polyethylene high tenacity/Elasthan/Polyamide yarns.Overlock: T07-red, T08-

blue, T09-yellow, T10-white, T11-orange

#### Available sizes:

06 07 08 09 10 11

## Visual description:



#### Material:

	Color	Material	Gauges	Thickness
PALM	Black	High tenacity polyethylene / polyamide /elastanne	13	
	Black	Nitrile		1mm
BACK	Black	High tenacity polyethylene / polyamide /elastanne	13	
CUFF	Black	High tenacity polyethylene / polyamide /elastanne	13	
	Black	Elastic rubber	13	
I BINII JINIG	Red/Blue/Yellow/Wh ite/Orange	PES		



## 2. PROTECTION SCOPE

Compliance with the essential requirements of the Directive 89/686/EEC has been verified by using following technical rules:

- \* EN 420:2003+A1:2009
- General requirements for gloves and test methods

\* EN 388:2003

- Protective glove against mechanical risks
- \* At the date of certificate the product is in compliance with Annex XVII of REACh regulation (n° 1907/2006 and revisions)
- \* This product is a category II.

## References of test reports performed in order to verify the compliance with the requirements of the technical rules :

Laboratory	стс	Other
EN 420	1011-13698/1 1202-1992/1 L150914478_1	
Azo	L150811782_1 L150609368_1	
EN 388	1501-1230/1 1011-13698-1	
OTHER	L160508470_1 1106-7634-1 1202-1992/1	

## Performance levels offered against mechanical risks (EN 388:2003) are:

Abrasion resistance	Blade cut resistance	Tear strength resistance	Puncture resistance
4	3	4	3

The levels of performance have been measured on the palm



## 3. MARKING

## Each glove is clearly marked with the following information:

- \* Logo of the authorized representative:
- \* **( €** marking
- \* reference of the model:

23 425 52

- \* size
- \* pictogram for mechanical risks followed by the performance levels
- \* information pictogram

### Marking example:

